International Journal of Systems Science, 1996, volume 27, number 12, pages 1497–1502

Author index (volume 27)

Abouelsoud, A. A., Hassan, M. F., and Sultan, M. A., An adaptive observer for robots with persistent excitation, 809

Adil, G. K., *see* Gill, A.

Ahmad, S. H., and Aldabbagh, M. H., Development of GERT model for precommissioning/commissioning of water treatment plant, 11

Aldabbagh, M. H., *see* Ahmad, S. H.

Aldowaisan, T. A., Gaafar, L. K., and Mahmoud, M. S., Optimal inventories in group technology production systems for a continuous consumption pattern, 511

Alexandre, P., and Preumont, A., On the gait control of a six-legged walking machine, 713

Alidaee, B., and Landram, F., Scheduling deteriorating jobs on a single machine to minimize the maximum processing times, 507

Alizon, J., *see* Trassoudaine, L.

Amano, N., Hashimoto, H., and Higashiguchi, M., Estimation of vehicle position based on projective function using the sequence of a 2D image, 783

Arizono, I., *see* Kimura, A.

Armingol, J. M., *see* de la Escalera, A.

Arsham, H., Performance extrapolation in discrete-event systems simulation, 863

Bai, L., *see* Xu, B.

Barie, W., and Chiasson, J., Linear and nonlinear state-space controllers for magnetic levitation, 1153

Basu, D. R., Structural adjustments and policy alternatives for the Egyptian economy, 59

Bector, C. R., *see* Gill, A.

Ben Ali Kamoun, M., *see* Chtourou, M.

Bhattacharya, A., Reliability evaluation of systems with dependent failures, 881

Boutayeb, M., *see* Keller, J. Y.

Boutayeb, M., *see* Rafaralahy, H.

Brown, M., *see* Wang, H.

Canbolat, H., Hu, J., and Dawson, D. M., A hybrid learning/adaptive partial state feedback controller for RLED robot manipulators, 1123

Cao, S. G., Rees, N. W., and Feng, G., H_∞ control of nonlinear continuous-time systems based on dynamical fuzzy models, 821

Cao, S. G., Rees, N. W., and Feng, G., Quadratic stability analysis and design of continous-time fuzzy control systems, 193

Carroll, J. J., *see* Schilling, R. J.

Chang, F.-Y., *see* Chen, C.-L.

Chang, N.-B., Chen, Y. L., and Yang, H. H., A fuzzy goal regression model for the construction cost estimation of municipal waste incinerators, 433

Chao, C.-T., and Teng, C.-C., A fuzzy neural network based extended Kalman filter, 333

Chaudhuri, K. S., *see* Jalan, A. K.

Chen, C.-C., *see* Sun, Y.-J.

Chen, C.-K., and Tien, T.-L., A new transfer function model: the grey dynamic model GDM(2,2,1), 1371

Chen, C.-L., and Chang, F.-Y., Universal neural controllers and stability analysis, 171

Chen, C.-L., *see* Jang, M.-J.

Chen, C.-S., and Chen, W.-L., Robust model reference adaptive control of nonlinear systems using fuzzy systems, 1435

Chen, J., Patton, R. J., and Liu, G.-P., Optimal residual design for fault diagnosis using multi-objective optimization and genetic algorithms, 567

Chen, K.-W., *see* Fung, R.-F.

Chen, L.-H., *see* Kao, C.

Chen, T.-P., *see* Chen, W.-L.

Chen, W.-L., and Chen, T.-P., Design of fuzzy logic controller for a class of nonlinear systems, 187

Chen, W.-L., *see* Chen, C.-S.

Chen, Y., *see* Eltimsahy, A. H.

Chen, Y. H., Alternative designs of denominator controls for uncertain systems, 1275

Chen, Y. L., *see* Chang, N.-B.

Cheng, J.-S., *see* Sun, Y.-J.

Chiasson, J., *see* Barie, W.

Cho, D. I., Analysis of optimal production and advertising policies, 1297

Chtourou, M., Derbel, N., and Ben Ali Kamoun, M., Control of a loaded induction machine using a feedforward neural network, 1287

Chtourou, M., *see* Poznyak, A. S.

Chung, M. J., *see* Roh, C. L.

Ćmiel, A., and Gurgul, H., Dynamic input–output models with stochastic time lags, 857

Conte, G., Longhi, S., and Zulli, R., Motion planning for unicycle and car-like robots, 791

Dahhou, B., *see* Youssef, C. B.

Dai, J., Li, D., Liao, Y., and Zhu, F., An extension to the single bottleneck transportation problem, 577

Darouach, M., *see* Keller, J. Y.

Darouach, M., *see* Rafaralahy, H.

Dawson, D. M., *see* Canbolat, H.

de la Escalera, A., Moreno, L., Salichs, M. A., and Armingol, J. M., Continuous mobile robot localization by using structured light and a geometric map, 771

de la Sen, M., *see* Etxebarria, V.

Deman, L., *see* Wen, C.

Derbel, N., *see* Chtourou, M.

Dierks, F., *see* Freund, E.

Ding, J. H., *see* Lyu, J.

Doustari, M. A., *see* Sannomiya, N.
Dowlatshahi, S., The effect of engineering cooperative experience on graduate starting salaries, 425

El Jai, A., and Kassara, K., Spreadability of transport systems, 681
El-Sharkawy, M. A., *see* Sinha, A. S. C.
Eltimsahy, A. H., and Chen, Y., Near-minimum time control of flexible manipulators with a payload, 1083
Endoh, T., *see* Kamada, M.
Er, M. J., *see* Neo, S. S.
Etchechoury, M., Solsona, J., and Muravchik, C., On the stability of nonlinear plants that include an observer for their feedback linearization, 1461
Etxebarria, V., and de la Sen, M., An approach to adaptive neural control of robot manipulators, 1143

Feiring, B. R., and Lee, S. W., A chance-constrained approach to stock selection in Hong Kong, 33
Feng, G., *see* Cao, S. G.
Fong, L.-W., *see* Tuan, P.-C.
Fonteix, C., *see* Viennett, R.
Freund, E., and Dierks, F., Map-based free navigation for autonomous vehicles, 753
Fu, Y., *see* Xu, B.
Fukushima, M., *see* Tatsumi, K.
Fung, R.-F., Lin, F.-J., and Chen, K.-W., Application of two-phase VSC with integration compensation in speed control of a PM synchronous servomotor, 1265

Gaafar, L. K., *see* Aldowaisan, T. A.
Gaddouna, B., Giuliani, S., and Ragot, J., Design of observers for descriptor systems affected by unknown inputs, 465
Gallice, J., *see* Trassoudaine, L.
García-Cerezo, A., Ollero, A., and Martínez, J. L., Design of a robust high-performance fuzzy path tracker for autonomous vehicles, 799
Ge, S. S., Robust adaptive NN feedback linearization control of nonlinear systems, 1327
Ge, S. S., and Hang, C. C., Direct adaptive neural network control of robots, 533
Ghandakly, A., *see* Idowu, P.
Ghosh, A., *see* Pal, S. K.
Gill, A., Adil, G. K., and Bector, C. R., An equipment replacement problem with dynamic production planning and capacity considerations, 985
Giri, R. R., *see* Jalan, A. K.
Giuliani, S., *see* Gaddouna, B.
Gonzalez, A., and Leyris, J. P., Application of generalized predictive control in MIMO systems to greenhouse climate regulation, 27
Gonzalez de Santos, P., *see* Jiménez, M. A.
Grujić, L. T., Corrigendum, 689
Gu, J.-S., and Jiang, W.-S., The Haar wavelets operational matrix of integration, 623
Gunasekaran, A., *see* Lyu, J.
Gunawan, E., *see* Tan, P. T.
Gupta, R., Tyagi, P. K., and Kishan, R., A two-unit system with correlated failures and repairs, and random appearance and disappearance of repairman, 561
Gupta, U. C., *see* Rao, T. S. S. S.
Gurgul, H., *see* Ćmiel, A.

Halme, A., *see* Schönberg, T.
Hamel, T., and Meizel, D., Robust control laws for wheeled mobile robots, 695
Hang, C. C., *see* Ge, S. S.
Harris, C. J., Editorial: Intelligent autonomous vehicles, 693
Harris, C. J., Editorial: Robotic manipulators, 1065
Harris, C. J., Editorial—Soft computing: Elements of learning systems, 143
Harris, C. J., *see* Wang, H.
Hashimoto, H., *see* Amano, N.
Hassan, M. F., *see* Abouelsoud, A. A.
Hattori, Y., Social choice function with subordinate relations as one variable, 957
Hayashi, N., *see* Yoshimura, T.
Higashiguchi, M., *see* Amano, N.
Horiuchi, T., A new theory of evidence for non-exclusive elementary propositions, 989
Horiuchi, T., Yamamoto, K., Yamada, H., and Toraichi, K., Relaxation optimizing operations in extended probabilistic space, 447
Hsieh, J.-G., *see* Sun, Y.-J.
Hsu, C.-C., A two-pass approach for optimally assigning linear tasks to multiprocessor systems, 669
Hsu, H.-H., *see* Wu, B.-F.
Hu, J., *see* Canbolat, H.
Hu, Q.-P., and Lin, Y., Some remarks on general systems, 413
Huang, Z., A game theoretical approach to franchising arrangements, 611
Huseyin, K., *see* Yu, P.
Hwang, M.-C., *see* Murthy, D. N. P.

Ichige, K., *see* Kamada, M.
Idowu, P., and Ghandakly, A., A discrete-time coordinated adaptive stabilizer for multimachine power systems, 597
Ikonen, E., *see* Najim, K.
Ikonen, E., *see* Poznyak, A. S.
Iwazumi, T., *see* Morita, Y.
Iyer, A., and Subbarao, G. V., Inverse control for nonlinear excitation and governor control, 1043

Jacob, M., *see* Pandey, D.
Jakeš, B., and Strnad, R., Comments on 'Second-order system models of high-order plants', 517
Jalan, A. K., Giri, R. R., and Chaudhuri, K. S., EOQ model for items with Weibull distribution deterioration, shortages and trended demand, 851
Jang, G., *see* Lee, H.
Jang, M.-J., and Chen, C.-L., Fuzzy successive modelling and control for time-delay systems, 1483
Jeong, I.-K., and Lee, J.-J., Adaptive simulated annealing genetic algorithm for control applications, 241
Jiang, W.-S., *see* Gu, J.-S.
Jiménez, M. A., and Gonzalez de Santos, P., Position-based motion control and adaptability of periodic gaits for realistic walking machines, 723
Johnson, A., *see* Luo, J. S.
Jouannin, S., *see* Trassoudaine, L.

Jumarie, G., Sensitivity analysis of SISO control systems using Wigner distribution, 299

Kamada, M., Endoh, T., Ichige, K., and Toraichi, K., Quadratic spline interpolator, 977
Kao, C., Kuo, S., Chen, L.-H., and Wang, T.-Y., Improving productivity via technology and management, 315
Kar, I. N., A controller design algorithm for a finite number of linear systems, 887
Kasilingam, R. G., and Roze, C., Formulations of the capacity planning problem considering manufacturing flexibility, 1027
Kassara, K., *see* El Jai, A.
Kataoka, S., *see* Shimohata, H.
Keller, J. Y., Summerer, L., Boutayeb, M., and Darouach, M., Generalized likelihood ratio approach for fault detection in linear dynamic stochastic systems with unknown inputs, 1231
Keller, J. Y., Summerer, L., and Darouach, M., Extension of Friedland's bias filtering technique to discrete-time systems with unknown inputs, 1219
Kijima, K., *see* Xu, C.
Kim, B. K., *see* Seo, C.-J.
Kimura, A., Arizono, I., and Ohta, H., An improvement of a back propagation algorithm by the extended Kalman filter and demand forecasting by layered neural networks, 473
Kishan, R., *see* Gupta, R.
Klutke, G.-A., The backlog process in queues with random service speed, 641
Koulamas, C., A note on finite replenishment inventory systems with continuous deterministic demand, 329
Kravvaritis, D., and Papageorgiou, N. S., Infinite-horizon continuous-time growth models, 373
Kuo, S., *see* Kao, C.

Lam, K. P., A binary relation inference network—Part 1: General concepts, 387
Lam, K. P., A binary relation inference network – Part 2: State-space techniques, 399
Lam, K. P., A continuous-time inference network and its hybrid implementations, 1425
Lam, K. P., and Su, C. J., A binary relation inference network – Part 1: General concepts, 387
Landram, F., *see* Alidaee, B.
Langari, R., *see* Wang, L.
Lee, H., Modelling the performance of a client/server database system, 323
Lee, H., and Jang, G., File and workload allocation on a local multi-access computer network: incorporating local processing and communication overhead, 831
Lee, J.-J., Robust adaptive control of an underactuated free-flying space robot under a non-holonomic structure in joint space, 1113
Lee, J.-J., *see* Jeong, I.-K.
Lee, M. N., *see* Roh, C. L.
Lee, S. W., *see* Feiring, B. R.
Lee, T. H., Xu, J. X., and Wang, M., A model-based adaptive sliding controller, 129
Leyris, J. P., *see* Gonzalez, A.
Li, D., *see* Dai, J.
Li, K., Xi, Y., and Zhang, Z., G-cactus and new results on structural controllability of composite systems, 1313
Li, Z. L., *see* Zhang, Y.
Liao, C.-J., Optimal scheduling of products with common and unique components, 361
Liao, Y., *see* Dai, J.
Lin, C.-L., Stabilizing control of discrete-time singularly perturbed systems, 1473
Lin, C.-T., Adaptive subsethood for neural fuzzy control, 937
Lin, F.-J., *see* Fung, R.-F.
Lin, Y., *see* Hu, Q.-P.
Liu, G. P., and Patton, R. J., Robust control design using eigenstructure assignment and multi-objective optimization, 871
Liu, G.-P., *see* Chen, J.
Liu, T. S., *see* Wu, J. C.
Liu, T.-Z., *see* Yen, V.
Liu, X., *see* Pham, D. T.
Longhi, S., *see* Conte, G.
Lopez, P., *see* Sira-Ramírez, H.
Luo, J. S., Johnson, A., and van den Bosch, P. P. J., A stability robustness analysis and design method for linear discrete-time systems with structured uncertainty, 113
Lyu, J., Gunasekaran, A., and Ding, J. H., Simulated annealing algorithm for solving the single machine early/tardy problem, 605

Mahmoud, M. S., *see* Aldowaisan, T. A.
Marc, I., *see* Viennett, R.
Marro, G., *see* Piazzi, A.
Martínez, J. L., *see* García-Cerezo, A.
Mastorakis, N. E., Singular value decomposition in multi-dimensional arrays, 647
Mayr, R., Nonlinear vehicle distance control in longitudinal direction, 705
Mehdi, D., *see* Mesquine, F.
Mehta, S. S., Saxena, S. C., and Verma, H. K., Computer-aided interpretation of ECG for diagnostics, 43
Meizel, D., *see* Hamel, T.
Mesquine, F., and Mehdi, D., Constrained observer-based controller for linear continuous-time systems, 1363
Mikhailov, S. A., Suboptimal electrodrive control of a flexible manipulator, 1077
Min, K. J., *see* Soesilo, D.
Misra, R. B., *see* Pham, H.
Moreno, L., *see* de la Escalera, A.
Morita, Y., Ukai, H., and Iwazumi, T., Trajectory control of multi-link elastic robot manipulators via a nonlinear feedback controller and robust servo controller, 1099
Mukundan, R., *see* Schilling, R. J.
Muravchik, C., *see* Etchechoury, M.
Murthy, D. N. P., Hwang, M.-C., Optimal discrete and continuous maintenance policy for a complex unreliable machine, 483

Najim, K., Pozynak, A. S., and Ikonen, E., Calculation of residence time for nonlinear systems, 661
Najim, K., *see* Poznyak, A. S.
Neo, S. S., and Er, M. J., Adaptive fuzzy controllers of a robot manipulator, 519

Ohta, H., *see* Kimura, A.
Ohtani, Y., and Yoshimura, T., Fuzzy control of a manipulator using the concept of sliding mode, 179
Ojala, M., *see* Schönberg, T.
Ollero, A., *see* Garcia-Cerezo, A.
Oloomi, H. M., and Sawan, M. E., High gain sampled data systems: deadbeat strategy, disturbance decoupling and cheap control, 1017

Pal, S. K., and Ghosh, A., Review: Neuro-fuzzy computing for image processing and pattern recognition, 1179
Pan, C.-H., and Wu, C.-C., An asymptotic two-phase algorithm to minimize total flow time for a two-machine flowshop, 925
Pandey, D., Jacob, M., and Tyagi, S. K., Stochastic modelling of a powerloom plant with common cause failure, human error and overloading effect, 309
Papageorgiou, N. S., *see* Kravvaritis, D.
Patton, R. J., *see* Chen, J.
Patton, R. J., *see* Liu, G. P.
Petersen, I. R., *see* Savkin, A. V.
Pham, D. T., and Liu, X., Training of Elman networks and dynamic system modelling, 221
Pham, H., A software cost model with imperfect debugging, random life cycle and penalty cost, 455
Pham, H., Suprasad, A., and Misra, R. B., Reliability and MTTF prediction of k-out-of-n complex systems with components subjected to multiple stages of degradation, 995
Pham, H., *see* Wang, H.
Phansalkar, V. V., and Thathachar, M. A., Learning automata in feedforward connectionist systems, 145
Piazzi, A., and Marro, G., Robust stability using interval analysis, 1381
Poznyak, A. S., and Najim, K., Learning automata with continuous input and changing number of actions, 1467
Poznyak, A. S., Najim, K., and Chtourou, M., Analysis of the behaviour of multilevel hierarchical systems of learning automata and their application for multimodal functions optimization, 97
Poznyak, A. S., Najim, K., and Chtourou, M., Learning automata with continuous inputs and their application for multimodal functions optimization, 87
Poznyak, A. S., Najim, K., and Ikonen, E., Adaptive selection of the optimal order of linear regression models using learning automata, 151
Poznyak, A. S., *see* Najim, K.
Preumont, A., *see* Alexandre, P.

Rafaralahy, H., Zasadzinski, M., Boutayeb, M., and Darouach, M., Comments on 'State observation of a fixed-bed reactor based on reduced bilinear models', 349
Ragot, J., *see* Gaddouna, B.
Ramirez-Beltran, N. D., A vector autoregressive model to predict hurricane tracks, 1
Rao, T. S. S. S., and Gupta, U. C., Performance analysis of the single server queue with state-dependent service, 121
Rees, N. W., *see* Cao, S. G.
Rizkalla, M. E., *see* Sinha, A. S. C.
Roh, C. L., Lee, M. N., and Chung, M. J., ILC for non-minimum phase system, 419
Rols, J. L., *see* Youssef, C. B.
Roze, C., *see* Kasilingam, R. G.

Salichs, M. A., *see* de la Escalera, A.
Sannomiya, N., and Doustari, M. A., A simulation study on autonomous decentralized mechanism in fish behaviour model, 1001
Sannomiya, N., and Tatemura, K., Application of genetic algorithm to a parallel path selection problem, 269
Savkin, A. V., and Petersen, I. R., Output feedback ultimate boundedness control for uncertain dynamic systems with structured uncertainty, 583
Savsar, M., Stochastic modelling of an integrated pulp and paper factory with intermediate storage, 1251
Sawan, M. E., *see* Oloomi, H. M.
Saxena, S. C., *see* Mehta, S. S.
Schilling, R. J., Zulch, P., Carroll, J. J., and Mukundan, R., Active noise control using a dual feedforward approach, 905
Schönberg, T., Ojala, M., Suomela, J., Torpo, A., and Halme, A., Positioning an autonomous off-road vehicle by using fused DGPS and inertial navigation, 745
Sengupta, J. K., Adjustment costs in mean-variance efficiency analysis, 551
Sengupta, J. K., Data envelopment analysis: a new tool for improving managerial efficiency, 1205
Sengupta, J. K., Dynamic data envelopment analysis, 277
Sengupta, J. K., Economic theory and DEA models: a critical review, 77
Sengupta, J. K., Entropy, efficiency and the productivity index numbers, 1195
Sengupta, J. K., Theory of systems efficiency: models and applications – a review, 285
Seo, C.-J., and Kim, B. K., Design of robust reliable H_∞ output feedback control for a class of uncertain linear systems with sensor failure, 963
Sheu, S.-H., Optimum age replacement of a system subject to shocks with random lead time, 1417
Shi, P., Robust filtering for uncertain systems with sampled measurements, 1403
Shields, D. N., Observer design for discrete nonlinear descriptor systems, 1033
Shimohata, H., Kataoka, S., and Yamada, T., A resource allocation problem on timed marked graphs: a decomposition approach, 405
Shoji, F. F., Chaotic responses in mathematical muscle model, 1307
Sinha, A. S. C., El-Sharkawy, M. A., Rizkalla, M. E., and Suzuki, D. A., A constructive algorithm for stabilization of nonlinear neutral time-delayed systems occurring in bio-engineering, 17
Sira-Ramírez, H., Lopez, P., and Tondu, B., On the robust stabilization and tracking for robotic manipulators with artificial muscles, 1067
Soesilo, D., and Min, K. J., An inventory model with variable levels of quality attributes via geometric programming, 379
Soh, C. B., *see* Tan, P. T.
Solsona, J., *see* Etchechoury, M.

Song, Y., and Takahashi, Y., Approximation for Kanban production systems, 1443
Soong, B. H., *see* Tan, P. T.
Strnad, R., *see* Jakeš, B.
Su, C. J., *see* Lam, K. P.
Subbarao, G. V., *see* Iyer, A.
Sullivan, G. A., Adaptive control with expert system based supervisory functions, 839
Sultan, M. A., *see* Abouelsoud, A. A.
Summerer, L., *see* Keller, J. Y.
Sun, Y.-J., Cheng, J.-S., Hsieh, J.-G., and Chen, C.-C., Feedback control of a class of nonlinear singularly perturbed systems with time delay, 589
Suomela, J., *see* Schönberg, T.
Suprasad, A., *see* Pham, H.
Suzuki, D. A., *see* Sinha, A. S. C.
Szczerbicki, E., Decision trees and neural networks for reasoning and knowledge acquisition for autonomous agents, 233
Szczerbicki, E., External environment of an autonomous manufacturing agent: dynamics and representation, 1211
Szczerbicki, E., Signed directed graphs and reasoning for agents and multi-agent systems, 1009

Takahashi, Y., *see* Song, Y.
Tan, P. T., Gunawan, E., Soh, C. B., and Soong, B. H., Modelling of dynamic flows in cellular mobile networks, 341
Tanaka, M., Ye, J., and Tanino, T., Fuzzy modelling by genetic algorithm with tree-structured individuals, 261
Taneri, U., *see* Yu, P.
Tanino, T., *see* Tanaka, M.
Tatemura, K., *see* Sannomiya, N.
Tatsumi, K., and Fukushima, M., A successive projection method for binary pattern recognition with multilayer feedforward neural networks, 917
Teng, C.-C., *see* Chao, C.-T.
Thathachar, M. A., *see* Phansalkar, V. V.
Tien, T.-L., *see* Chen, C.-K.
Tondu, B., *see* Sira-Ramírez, H.
Toraichi, K., *see* Horiuchi, T.
Toraichi, K., *see* Kamada, M.
Torpo, A., *see* Schönberg, T.
Trassoudaine, L., Jouannin, S., Alizon, J., and Gallice, J., Tracking systems for intelligent road vehicles, 731
Tuan, P.-C., and Fong, L.-W., An IMM tracking algorithm with input estimation, 629
Tyagi, P. K., *see* Gupta, R.
Tyagi, S. K., *see* Pandey, D.

Ukai, H., *see* Morita, Y.

van den Bosch, P. P. J., *see* Luo, J. S.
Verma, H. K., *see* Mehta, S. S.
Viennett, R., Fonteix, C., and Marc, I., Multicriteria optimization using a genetic algorithm for determining a Pareto set, 255
Wang, A. P., *see* Wang, H.
Wang, H., and Pham, H., A quasi renewal process and its applications in imperfect maintenance, 1055
Wang, H., and Pham, H., Optimal maintenance policies for several imperfect repair models, 543
Wang, H., Wang, A. P., Brown, M., and Harris, C. J., One-to-one mapping and its application to neural networks based control systems design, 161
Wang, L., and Langari, R., A variable forgetting factor RLS algorithm with application to fuzzy time-varying systems identification, 205
Wang, M., *see* Lee, T. H.
Wang, T.-Y., *see* Kao, C.
Wen, C., and Deman, L., A learning control for a class of nonlinear systems with exogenous disturbances, 1453
Wu, B.-F., Minimum mean-squared error estimation of stochastic processes by mutual entropy, 1391
Wu, B.-F., and Hsu, H.-H., An innovation approach to optimize a Kalman filter with an H_∞ error bound by secant method, 651
Wu, C.-C., *see* Pan, C.-H.
Wu, J. C., and Liu, T. S., Stabilization control of nonholonomic systems with application to rider–motorcycle systems, 1165

Xi, Y., *see* Li, K.
Xu, B., Fu, Y., and Bai, L., Technical note: Further results on robust bounds for large-scale time-delay systems with structured and unstructured uncertainties, 1491
Xu, C., and Kijima, K., On misrepresentation-proof strategies in incentive design problems, 969
Xu, D. Y., Necessary and sufficient conditions for robust oscillation, 367
Xu, J. X., *see* Lee, T. H.

Yamada, H., *see* Horiuchi, T.
Yamada, T., A network flow approach to a city emergency evacuation planning, 931
Yamada, T., *see* Shimohata, H.
Yamamoto, K., *see* Horiuchi, T.
Yang, H. H., *see* Chang, N.-B.
Ye, J., *see* Tanaka, M.
Yen, V., and Liu, T.-Z., A neural network assisted computed torque method for manipulator tracking control problems, 1133
Yi, Z., Global exponential stability and periodic solutions of delay Hopfield neural networks, 227
Yi, Z., and Zhong, S. M., Comment on 'Robust stability of a class of uncertain nonlinear dynamical systems with time-varying delay', 515
Yoshimura, T., Active suspension of vehicle systems using fuzzy logic, 215
Yoshimura, T., and Hayashi, N., Active control for the suspension of large-sized buses using fuzzy logic, 1243
Yoshimura, T., *see* Ohtani, Y.
Youssef, C. B., Dahhou, B., Zeng, F. Y., and Rols, J. L., Estimation and filtering of nonlinear systems: application to a wastewater treatment process, 497
Yu, P., Taneri, U., and Huseyin, K., Forced oscillations, bifurcations and stability of a molecular system—Part 1: Non-resonance, 1339

Yu, P., Taneri, U., and Huseyin, K., Forced oscillations, bifurcations and stability of a molecular system—Part 2: Resonances, 1351
Yu, X., Controlling Lorenz chaos, 355

Zasadzinski, M., *see* Rafaralahy, H.
Zeng, F. Y., *see* Youssef, C. B.
Zhang, Y., Zhong, S. M., and Li, Z. L., Periodic solutions and stability of Hopfield neural networks with variable delays, 895
Zhang, Z., *see* Li, K.
Zhong, S. M., *see* Yi, Z.
Zhong, S. M., *see* Zhang, Y.
Zhu, F., *see* Dai, J.
Zulch, P., *see* Schilling, R. J.
Zulli, R., *see* Conte, G.